| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| - | 17 | Des with "key scheduling" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 14:58 |
| - | 7 | (Des with "key scheduling") and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 16:32 |
| - | 11 | "661843" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 15:48 |
| - | 87 | sboxes | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 16:49 |
| - | 4 | ((sboxes with (chang$3 with bit))) and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 17:26 |
| - | 18 | ((des with permutation) and (des with expansion)) and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 09:08 |
| - | 100 | 3-to-1 adj multiplexers | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 09:14 |
| - | 530 | 2-to-1 adj multiplexers | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 09:21 |
| - | 401 | (2-to-1 adj multiplexers) and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 14:08 |
| - | 397 | (2-to-1 adj multiplexers) and @ad < "20001013" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 09:15 |
| - | 93 | ((2-to-1 adj multiplexers) and @ad < "20001013") and "DES" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 09:18 |
| - | 8 | ((2-to-1 adj multiplexers) with "clock cycle") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 09:21 |
| - | 3 | (((2-to-1 adj multiplexers) with "clock cycle")) and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 13:02 |
| - | 235 | 380/42.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 13:03 |

| | | | | |
|---|---|---|---|---|
| – | 184 | 380/42.ccls. and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 13:16 |
| – | 0 | (380/42.ccls. and @ad < "20001213") and ("expansion logic") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 13:25 |
| – | 20 | (380/42.ccls. and @ad < "20001213") and (expansion) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 13:28 |
| – | 1 | (380/42.ccls. and @ad < "20001213") and (expansion with "size") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 13:32 |
| – | 5 | (380/42.ccls. and @ad < "20001213") and (expansion with bit) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 14:13 |
| – | 188 | "expansion logic" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 15:35 |
| – | 4 | "expansion logic" with (coupled with multiplex$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 15:36 |
| – | 8 | "expansion logic" with (multiplex$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 15:55 |
| – | 3 | "inverse permutation logic" with (multiplex$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 15:56 |
| – | 6 | "inverse permutation" with (multiplex$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 15:59 |
| – | 8 | "expansion logic" with multiplex$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 16:42 |
| – | 243 | (AES and permutation) and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:17 |
| – | 11 | AES with permutation | USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB | 2004/09/21 16:46 |
| – | 6 | "Advanced encryption standard" with permutation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 16:48 |

| | | | | |
|---|---|---|---|---|
| - | 21 | ("data encryption standard" with permutation) and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:15 |
| - | 1480 | (((high adj2 performance) or (high adj2 speed)) with DES) and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:26 |
| - | 3 | ((((high adj2 performance) or (high adj2 speed)) with DES) and @ad < "20001213") and 380/42.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:22 |
| - | 4 | "expansion logic" with (coupled with multiplexer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:23 |
| - | 2 | "expansion logic" with (coupled near multiplexer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:25 |
| - | 4 | "expansion logic" near5 (coupled near3 multiplexer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:25 |
| - | 8 | "expansion logic" with (multiplexer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:25 |
| - | 2 | ("expansion logic" with (multiplexer)) and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/21 17:26 |
| - | 7 | "permutation logic" with "expansion logic" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 10:17 |
| - | 114 | "permutation" with "expansion" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 10:17 |
| - | 53 | ("permutation" with "expansion") and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 14:07 |
| - | 530 | "2-to-1 multiplexer" with "2-to-1 multiplexer" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 14:08 |
| - | 401 | ("2-to-1 multiplexer" with "2-to-1 multiplexer") and @ad < "20001213" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 16:29 |
| - | 6 | ("Data encryption standard" same (determination and shift and propagation and consumption)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 16:45 |